

Development of self-trigger algorithms for radio detection of air-showers

Oleg Fedorov

June, 2020

Motivation

The detection of the air-showers radio emission is the promising technique for studies of UHE cosmic rays, gamma rays and neutrinos.

Advantages:

- Almost full duty cycle
- Simple and cost-effective
- Sensitive to the energy and shower maximum

Disadvantage:


- Low signal-to-noise ratios (SNR) and many transient background (RFI)

Trigger implementation complexity

- 1 GB/s (or more) raw data from each station
- EAS pulses are short and low-intensity
- A lot of RFI

Requires a smart trigger generation mechanism and an advanced noise reduction system. The first step is studying background noise and develop noise reduction algorithms.

Trigger design



Multi-Level Realtime Trigger System


- Channel level
 - Digital bandpass and median filters
- Station level (L0)
 - Threshold trigger
 - Pairwise channel analysis
 - False triggers suppression
- Cluster level (L1)
 - Match pattern
 - Suppression of known RFI
 - Restriction on direction
 - EAS signal search

Response time < 5 μ s


On-chip built system

RFI searching method


Station data
(2 channels)



- * Calculating RMS in sliding window.
- * 3 sigma detection threshold







- * Building a channel-to-channel distribution of RFI candidates RMS responses
- * Finding cores of distribution




- * Averaging RFI candidates

Noise generator



Preliminary evaluation of L0 trigger


- Matched filtering using EAS template
- 4 sigma trigger amplitude cut
- ~ 250 kHz trigger rate
- 50/95% detection efficiency for amplitudes $\sim 230/380 \mu\text{V}/\text{m}$




Conclusion and future plans

- Improvement and tuning L0 trigger algorithms
- Development L1 trigger
- Tunka-Rex RFI library


St 10






St 40



St 70



RFI amplitude distribution



Templates of RFI